

FULASEAL PRO 300 TRANS

841697PM

SAFETY DATA SHEET

REVISION DATE: 07-25-2016 SUPERSEDES: None

841697PM

SECTION 1: IDENTIFICATION OF THE PRODUCT AND SUPPLIER

PRODUCT INFORMATION

PRODUCT: FULASEAL PRO 300 TRANS

PRODUCT DESCRIPTION: Silicone sealant INTENDED USE: Industrial adhesive

COMPANY INFORMATION

H.B. Fuller Company Australia Pty. Ltd.

16 - 22 Red Gum Drive Dandenong South, VIC 3175 Telephone: (03) 9797 6222

PRODUCT IDENTIFIER:

Emergency telephone No: 1800 033 111

SECTION 2: HAZARDS IDENTIFICATION

GHS Hazard Symbols:



GHS Symbol name(s): Exclamation mark

GHS Signal Word: Warning

GHS Classification: Skin Sensitisation Category 1 **GHS Hazard Phrases:** May cause an allergic skin reaction.

GHS Precautions:

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. **Safety Precautions:**

> Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: First Aid Measures:

Get medical advice/attention. Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international Disposal:

regulation for hazardous wastes.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	PERCENT	Classification	Note
Amorphous silica	7631-86-9	5 - 10		* (see below)
Silanes	Proprietary	5 - 10	Eye Irrit. 2; H319	
			Skin Irrit. 2; H315	
			Skin Sens. 1; H317	
Octamethylcyclotetrasiloxane	556-67-2	0.1 - 1	Aquatic Chronic 4; H413	
			Acute Tox. 3; H311	
			Repr. 2; H361	
Methyl ethyl ketoxime	96-29-7	0.1 - 1	Acute Tox. 4; H312	
			Acute Tox. 4; H302	
			Carc. 2; H351	





FULASEAL PRO 300 TRANS Print Date: 07-25-2016

841697PM

SAFETY DATA SHEET

			Eye Dam. 1; H318 Skin Sens. 1; H317	
Titanium dioxide	13463-67-7	0.1 - 1	Carc. 2; H351	* (see below)
Silane	Proprietary	0.1 - 1	Acute Tox. 4; H302 Skin Corr. 1B; H314 Skin Sens. 1; H317	
Carbon black	1333-86-4	0.1 - 1	Carc. 2; H351	* (see below)
Ingredients determined to be not hazardous		85		

^{*}This material is only hazardous when present as an airborne dust. As supplied, and during normal use, the material is encapsulated within the product and will not present an exposure risk.

SECTION 4: FIRST AID MEASURES

IF IN EYES: Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.

IF ON SKIN: Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.

IF INHALED: Remove to fresh air. Call a physician if symptoms persist.

IF SWALLOWED: Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS.

SECTION 5: FIRE FIGHTING MEASURES

Use water spray, foam, dry chemical or carbon dioxide. **EXTINGUISHING MEDIA:**

Material will burn in a fire. UNUSUAL FIRE AND EXPLOSION HAZARDS:

SPECIAL FIRE FIGHTING INSTRUCTIONS: Persons exposed to products of combustion should wear self-

contained breathing apparatus and full protective equipment.

HAZARDOUS COMBUSTION PRODUCTS: Carbon dioxide, Carbon monoxide Silicon dioxide

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPECIAL PROTECTION: Exposure to the spilled material may be irritating or harmful. Follow

personal protective equipment recommendations found in Section 8 of this MSDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the

quantity of the spill, the area in which the spill occurred.

SECTION 7: HANDLING AND STORAGE

Handling: Avoid contacting and avoid breathing the material. Use only in a well ventilated

area.

This product contains an ingredient that may release formaldehyde at heated cure

temperatures.

This product contains an ingredient that may react with water or humidity to release methyl ethyl ketoxime (MEKO), CAS#96-29-7. The AIHA WEEL TWA

for MEKO is 10 ppm.

This product contains an ingredient that may react with water or humidity to

release ethanol (64-17-5). The TWA for ethanol is 1000 ppm.

Store in a cool, dry place. Storage:





FULASEAL PRO 300 TRANS

841697PM

SAFETY DATA SHEET

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS:

Chemical Name	Note	AUSTRALIAN EXPOSURE LIMITS	ACGIH EXPOSURE LIMITS
Amorphous silica	* (see below)	2 mg/m3 TWA (respirable dust, listed under Fumed silica) None	No data available.
Titanium dioxide	* (see below)	10 mg/m3 TWA (containing no asbestos and <1% crystalline silica, inhalable dust) None	10 mg/m3 TWA
Carbon black	* (see below)	3 mg/m3 TWA None	3 mg/m3 TWA (inhalable fraction)

^{*}This material is only hazardous when present as an airborne dust. As supplied, and during normal use, the material is encapsulated within the product and will not present an exposure risk.

Biological Limit Values (ACGIH)

	(,
Chemical Name	ACG	TH Biological Exposure Index (BEI)
No data available.		

ENGINEERING CONTROL METHODS:

VENTILATION: General room ventilation might be required under normal conditions

EYE PROTECTION: Wear safety glasses with side shields when handling this product.

> Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Have an eye wash

station available.

SKIN PROTECTION: Avoid skin contact by wearing chemically resistant gloves and long

sleeved shirt. An apron may be appropriate if splashing can occur.

GLOVES: Nitrile

RESPIRATORY PROTECTION: No respiratory protection required under normal conditions of use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Semi-solid Colourless COLOR: ODOR: Solvent ODOR THRESHOLD: Not established

Not established FREEZING/MELTING POINT (deg. C): Not established BOILING POINT (deg. C): Not established FLASH POINT: Not applicable **EVAPORATION RATE:** Not established

FLAMMABILITY: Not a flammable solid or gas

UPPER EXPLOSIVE LIMIT (% in air): Not established LOWER EXPLOSIVE LIMIT (% in air): Not established VAPOR PRESSURE (mm Hg): Not established VAPOR DENSITY: Not established

WEIGHT PER GALLON (lbs.): 8.35





FULASEAL PRO 300 TRANS 841697PM

SAFETY DATA SHEET

SPECIFIC GRAVITY: 1.000

SOLUBILITY: Not established OCTANOL/WATER COEFFICIENT: Not established AUTOIGNITION TEMPERATURE: Not established DECOMPOSITION TEMPERATURE: Not established VISCOSITY: No data available.

SOLIDS (% by weight): 95.0

VOC, weight percent Not determined

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable under normal conditions.

CHEMICAL INCOMPATIBILITY: Not established HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide Silicon dioxide

SECTION 11: TOXICOLOGICAL INFORMATION

Component Toxicity / Toxicology Data:

COMPONENT NAME	 LD50/LC50
Amorphous silica	INHALATION LC50-1H Rat > 2.20 mg/l

This product is a mixture. Unless noted, the information below is based on components.

Skin corrosion / irritation: No irritation hazard in normal industrial use. Serious eye damage / irritation: No irritation hazard in normal industrial use.

Respiratory / skin sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity: No data available.

Carcinogenicity: Contains a material that is suspected of causing cancer.

Reproductive toxicity: No data available.

Specific target organ toxicity-single exposure: No data available. Respiratory irritation / Narcotic effects: No data available. Specific target organ toxicity-single exposure: No data available.

Target organs potentially affected by exposure: Lungs

Aspiration hazard: Not an aspiration hazard.

Medical Conditions Aggravated by Exposure: Lung disease

SECTION 12: ECOLOGICAL INFORMATION

OVERVIEW: No ecological information available for this product.

MOBILITY: No data available.
PERSISTENCE: No data available.
BIOACCUMULATION: No data available.

This product has not been tested for ecological effects. Relevant information for components is listed below:

Component:	Ecotoxicity values:
No data available.	Acute Toxicity (Fish):
	Acute Toxicity (Daphnia):
	Acute Toxicity (Algae):





FULASEAL PRO 300 TRANS

841697PM

SAFETY DATA SHEET

SECTION 13: DISPOSAL CONSIDERATIONS

This product is a prescribed waste and may only be disposed of in accordance with applicable State and local regulations. These regulations vary from jurisdiction to jurisdiction and hence the user is counselled to seek advice from the local authority and classify the waste before considering disposal. The disposal information given below is a general guide and does not replace the requirement of the local regulations.

DISPOSAL: If possible recycle, otherwise dispose strictly in accordance with local industrial waste or environmental protection regulations. This substance may, if permitted by local authorities, be disposed of in an approved incineration facility or be considered for landfill.

SPECIAL PRECAUTIONS: Do not allow this material to contaminate soil, sewerage systems or surface or ground water.

When large amounts of this product need to be disposed of the services of a registered, professional waste disposal organisation is highly recommended.

SECTION 14: TRANSPORT INFORMATION

Consult Bill of Lading for transportation information.

ADG: NOT REGULATED IATA: NOT REGULATED HazChem Code: Not applicable

SECTION 15: REGULATORY INFORMATION

INVENTORY STATUS

AUSTRALIA AICS: All ingredients in this mixture are listed in the Australian Inventory of

Chemical Substances.

U.S. EPA TSCA: The product contains a substance that is not listed on the TSCA

CANADIAN CEPA DSL: This product contains one or more components which have not been

> determined to be on the DSL. If you are the importer of this product into Canada, contact H.B. Fuller for chemical tracking and notification

information.

EUROPEAN REACH: As a result of the introduction of REACH into Europe, this product

cannot be imported into Europe unless the REACH requirements are

This product is in compliance with the Japanese Existing and New JAPAN ENCS:

Chemical Substances requirements.

This product is in compliance with the Korean Existing Chemicals List KOREAN TCCL:

requirements.

This product is in compliance with the Philippine Inventory of PHILIPPINES:

Chemicals and Chemical Substances requirements.

CHINA IECSC INVENTORY: This product is in compliance with the Inventory of Existing Chemical

Substances in China (IECSC) requirements.

If you need more information about the inventory status of this product call 1+651-236-5858.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP):

Exempt





FULASEAL PRO 300 TRANS 841697PM

SAFETY DATA SHEET

SECTION 16: OTHER INFORMATION

SDS Date of Issue: 25-07-2016 Replaces: None

Changes made to previous issue: Conversion to GHS format

ACRONYMS and DEFINITIONS:

ACGIH American Conference of Governmental Industrial Hygienists

ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail

AICS Australian Inventory of Chemical Substances

BEI Biological Exposure Index

CAS Number Chemical Abstracts Service Registry Number

CNS Central nervous system DG Dangerous Goods

Hazchem Code An emergency action code of numbers and letters, which gives information to emergency services.

IARC International Agency for Research on Cancer
IATA Code International Air Transport Association Code
IMDG Code International Maritime Dangerous Goods Code

N.O.S. Not otherwise specified

NOHSC National Health and Safety Commission

PPE Personal protection equipment

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

UN Number United Nations Number

Prepared by: The Global Regulatory DepartmentPhone: 1-651-236-5842

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to H.B. Fuller Company Australia Pty. Ltd. from its suppliers, and because H.B. Fuller Company Australia Pty. Ltd. has no control over the conditions of handling and use, H.B. Fuller Company Australia Pty. Ltd. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and H.B. Fuller Company Australia Pty. Ltd. assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company Australia Pty. Ltd. products to comply with all applicable federal, state and local laws and regulations.