

FULASEAL 770 SANITARY WHITE

840323PM

SAFETY DATA SHEET

REVISION DATE: 08-22-2016 SUPERSEDES: None

SECTION 1: IDENTIFICATION OF THE PRODUCT AND SUPPLIER

PRODUCT INFORMATION

PRODUCT: FULASEAL 770 SANITARY WHITE

PRODUCT DESCRIPTION: Silicone sealant **INTENDED USE:** Industrial adhesive PRODUCT IDENTIFIER: 840323PM

COMPANY INFORMATION

H.B. Fuller Company Australia Pty. Ltd.

16 - 22 Red Gum Drive Dandenong South, VIC 3175 Telephone: (03) 9797 6222

Emergency telephone No: 1800 033 111

Emergency Tel NZ: 0800 734 607 (or IDD +64 473 4607)

SECTION 2: HAZARDS IDENTIFICATION

GHS Hazard Symbols:



GHS Symbol name(s): **Exclamation mark**

GHS Signal Word: Warning

Skin Sensitisation Category 1 **GHS** Classification: **GHS Hazard Phrases:** May cause an allergic skin reaction.

GHS Precautions:

Safety Precautions: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: **First Aid Measures:**

Get medical advice/attention. Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international Disposal:

regulation for hazardous wastes.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	PERCENT	Classification	Note
Mineral oil	64742-46-7	10 - 30	Acute Tox. 4; H332	Note N
Titanium dioxide	13463-67-7	5 - 10	Carc. 2; H351	* (see below)
Amorphous silica	7631-86-9	5 - 10		* (see below)
Silanes	Proprietary	5 - 10	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1; H317	
Propiconazole	60207-90-1	0.1 - 1	Aquatic Acute 1; H400	





FULASEAL 770 SANITARY WHITE

840323PM

SAFETY DATA SHEET

			Aquatic Chronic 1; H410
			Acute Tox. 4; H302
			Skin Sens. 1; H317
Methyl ethyl ketoxime	96-29-7	0.1 - 1	Acute Tox. 4; H312
			Acute Tox. 4; H302
			Carc. 2; H351
			Eye Dam. 1; H318
			Skin Sens. 1; H317
Oxybisphenoxarsine, 10,10'	58-36-6	0.1 - 1	Aquatic Acute 1; H400
			Aquatic Chronic 1; H410
			Acute Tox. 3; H311
			Acute Tox. 2; H330
			Acute Tox. 2; H300
			Skin Corr. 1B; H314
			STOT RE 1; H372
Silane	Proprietary	0.1 - 1	Acute Tox. 4; H302
			Skin Corr. 1B; H314
			Skin Sens. 1; H317
Silane	2224-33-1	0.1 - 1	Eye Dam. 1; H318
			Skin Irrit. 2; H315
			Skin Sens. 1; H317
Ingredients determined to be not hazardous		45	

^{*}This material is only hazardous when present as an airborne dust. As supplied, and during normal use, the material is encapsulated within the product and will not present an exposure risk.

SECTION 4: FIRST AID MEASURES

IF IN EYES: Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.

IF ON SKIN: Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.

IF INHALED: Remove to fresh air. Call a physician if symptoms persist.

IF SWALLOWED: Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS.

SECTION 5: FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Use water spray, foam, dry chemical or carbon dioxide.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Material will burn in a fire.

SPECIAL FIRE FIGHTING INSTRUCTIONS: Persons exposed to products of combustion should wear self-

contained breathing apparatus and full protective equipment.

HAZARDOUS COMBUSTION PRODUCTS: Carbon dioxide, Carbon monoxide Silicon dioxide Nitrogen

containing gases

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPECIAL PROTECTION: Exposure to the spilled material may be irritating or harmful. Follow

> personal protective equipment recommendations found in Section 8 of this MSDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the

quantity of the spill, the area in which the spill occurred.

SECTION 7: HANDLING AND STORAGE

Avoid contacting and avoid breathing the material. Use only in a well ventilated Handling:





FULASEAL 770 SANITARY WHITE

840323PM

SAFETY DATA SHEET

This product contains an ingredient that may react with water or humidity to release methyl ethyl ketoxime (MEKO), CAS#96-29-7. The AIHA WEEL TWA

for MEKO is 10 ppm.

This product contains an ingredient that may release formaldehyde at heated cure

temperatures.

This product contains an ingredient that may react with water or humidity to

release ethanol (64-17-5). The TWA for ethanol is 1000 ppm.

Storage: Store in a cool, dry place.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS:

Chemical Name	Note	AUSTRALIAN EXPOSURE LIMITS	ACGIH EXPOSURE LIMITS
Titanium dioxide	* (see below)	10 mg/m3 TWA (containing no asbestos and <1% crystalline silica, inhalable dust) None	10 mg/m3 TWA
Amorphous silica	* (see below)	2 mg/m3 TWA (respirable dust, listed under Fumed silica) None	No data available.

^{*}This material is only hazardous when present as an airborne dust. As supplied, and during normal use, the material is encapsulated within the product and will not present an exposure risk.

Biological Limit Values (ACGIH)

Chemical Name	ACGIH Biological Exposure Index (BEI)
No data available.	

ENGINEERING CONTROL METHODS:

VENTILATION: General room ventilation might be required under normal conditions

of use.

EYE PROTECTION: Wear safety glasses with side shields when handling this product.

> Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Have an eve wash

station available.

SKIN PROTECTION: Avoid skin contact by wearing chemically resistant gloves and long

sleeved shirt. An apron may be appropriate if splashing can occur.

GLOVES: Nitrile

RESPIRATORY PROTECTION: No respiratory protection required under normal conditions of use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Semi-solid COLOR: White ODOR: Solvent

ODOR THRESHOLD: Not established Not established FREEZING/MELTING POINT (deg. C): Not established Not established BOILING POINT (deg. C):

FLASH POINT: > 204°C (400°F) COC

EVAPORATION RATE: Not established





FULASEAL 770 SANITARY WHITE

840323PM

SAFETY DATA SHEET

FLAMMABILITY: Not a flammable solid or gas

UPPER EXPLOSIVE LIMIT (% in air): Not established LOWER EXPLOSIVE LIMIT (% in air): Not established VAPOR PRESSURE (mm Hg): Not established Not established VAPOR DENSITY:

WEIGHT PER GALLON (lbs.): 8.35 SPECIFIC GRAVITY: 1.000

SOLUBILITY: Not established OCTANOL/WATER COEFFICIENT: Not established Not established **AUTOIGNITION TEMPERATURE: DECOMPOSITION TEMPERATURE:** Not established VISCOSITY: No data available.

SOLIDS (% by weight): 95.0

VOC, weight percent Not determined

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable under normal conditions.

CHEMICAL INCOMPATIBILITY: Not established HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide Silicon dioxide

Nitrogen containing gases

SECTION 11: TOXICOLOGICAL INFORMATION

Component Toxicity / Toxicology Data:

COMPONENT NAME	LD50/LC50	
Mineral oil	Inhalation LC50 Rat 4.60 mg/l	
Amorphous silica	INHALATION LC50-1H Rat > 2.20 mg/l	
Propiconazole	Oral LD50 Rat 1,517 mg/kg	
Methyl ethyl ketoxime	Oral LD50 Rat 930 mg/kg	

This product is a mixture. Unless noted, the information below is based on components.

Skin corrosion / irritation: No irritation hazard in normal industrial use. Serious eye damage / irritation: No irritation hazard in normal industrial use.

Respiratory / skin sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity: No data available.

Carcinogenicity: Contains a material that is suspected of causing cancer.

Reproductive toxicity: No data available.

Specific target organ toxicity-single exposure: No data available.

Respiratory irritation / Narcotic effects: May cause respiratory irritation.

Specific target organ toxicity-single exposure: No data available.

Target organs potentially affected by exposure: Lungs

Aspiration hazard: Not an aspiration hazard.

Medical Conditions Aggravated by Exposure: Lung disease



FULASEAL 770 SANITARY WHITE

840323PM

SAFETY DATA SHEET

SECTION 12: ECOLOGICAL INFORMATION

OVERVIEW: No ecological information available for this product.

MOBILITY: No data available. PERSISTENCE: No data available. BIOACCUMULATION: No data available.

This product has not been tested for ecological effects. Relevant information for components is listed below:

Component:	Ecotoxicity values:
Mineral oil	Acute Toxicity (Fish): 96 Hr LC50 Pimephales promelas: 35 mg/L [flow-through]
	Acute Toxicity (Daphnia): Not established
	Acute Toxicity (Algae): Not established
Methyl ethyl ketoxime	Acute Toxicity (Fish): Not established
	Acute Toxicity (Daphnia): Not established
	Acute Toxicity (Algae): 72 Hr EC50 Desmodesmus subspicatus: 83 mg/L

SECTION 13: DISPOSAL CONSIDERATIONS

This product is a prescribed waste and may only be disposed of in accordance with applicable State and local regulations. These regulations vary from jurisdiction to jurisdiction and hence the user is counselled to seek advice from the local authority and classify the waste before considering disposal. The disposal information given below is a general guide and does not replace the requirement of the local regulations.

DISPOSAL: If possible recycle, otherwise dispose strictly in accordance with local industrial waste or environmental protection regulations. This substance may, if permitted by local authorities, be disposed of in an approved incineration facility or be considered for landfill.

SPECIAL PRECAUTIONS: Do not allow this material to contaminate soil, sewerage systems or surface or ground water.

When large amounts of this product need to be disposed of the services of a registered, professional waste disposal organisation is highly recommended.

SECTION 14: TRANSPORT INFORMATION

Consult Bill of Lading for transportation information.

ADG: NOT REGULATED IATA: NOT REGULATED HazChem Code: Not applicable

SECTION 15: REGULATORY INFORMATION

INVENTORY STATUS

All ingredients in this mixture are listed in the Australian Inventory of **AUSTRALIA AICS:**

Chemical Substances.

U.S. EPA TSCA: The product contains a substance that is not listed on the TSCA

inventory.

CANADIAN CEPA DSL: This product contains one or more components which have not been

> determined to be on the DSL. If you are the importer of this product into Canada, contact H.B. Fuller for chemical tracking and notification

information.

EUROPEAN REACH: As a result of the introduction of REACH into Europe, this product





FULASEAL 770 SANITARY WHITE

840323PM

SAFETY DATA SHEET

cannot be imported into Europe unless the REACH requirements are

KOREAN TCCL: This product is in compliance with the Korean Existing Chemicals List

requirements.

If you need more information about the inventory status of this product call 1+651-236-5858.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP):

Exempt

SECTION 16: OTHER INFORMATION

SDS Date of Issue: 22-08-2016 Replaces: None

Changes made to previous issue: Conversion to GHS format

ACRONYMS and DEFINITIONS:

ACGIH American Conference of Governmental Industrial Hygienists

ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail

AICS Australian Inventory of Chemical Substances

Biological Exposure Index BEI

Chemical Abstracts Service Registry Number CAS Number

Central nervous system **CNS Dangerous Goods** DG

An emergency action code of numbers and letters, which gives information to emergency services. Hazchem Code

International Agency for Research on Cancer IARC International Air Transport Association Code IATA Code IMDG Code International Maritime Dangerous Goods Code

N.O.S. Not otherwise specified

NOHSC National Health and Safety Commission

PPE Personal protection equipment

Standard for the Uniform Scheduling of Medicines and Poisons **SUSMP**

United Nations Number UN Number

Prepared by: The Global Regulatory DepartmentPhone: 1-651-236-5842

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to H.B. Fuller Company Australia Pty. Ltd. from its suppliers, and because H.B. Fuller Company Australia Pty. Ltd. has no control over the conditions of handling and use, H.B. Fuller Company Australia Pty. Ltd. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and H.B. Fuller Company Australia Pty. Ltd. assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company Australia Pty. Ltd. products to comply with all applicable federal, state and local laws and regulations.

