

# **FULLERTRADE CONSTRUCTION**

840332PM

### SAFETY DATA SHEET

REVISION DATE: 05-18-2017 10-17-2016 SUPERSEDES:

# SECTION 1: IDENTIFICATION OF THE PRODUCT AND SUPPLIER

PRODUCT INFORMATION

PRODUCT: FULLERTRADE CONSTRUCTION ADH

PRODUCT DESCRIPTION: Solvent based adhesive **INTENDED USE:** Industrial adhesive

PRODUCT IDENTIFIER: 840332PM

### **COMPANY INFORMATION**

H.B. Fuller Company Australia Pty. Ltd.

16 - 22 Red Gum Drive Dandenong South, VIC 3175 Telephone: (03) 9797 6222

Emergency telephone No: 1800 033 111

Emergency Tel NZ: 0800 734 607 (or IDD +64 473 4607)

# **SECTION 2: HAZARDS IDENTIFICATION**

# **GHS Hazard Symbols:**



**GHS Symbol name(s):** Flame **GHS Signal Word:** Danger

**GHS Classification:** Flammable Liquid Category 2 **GHS Hazard Phrases:** Highly flammable liquid and vapour.

**GHS Precautions:** 

Keep away from heat/sparks/open flames/hot surfaces. – No smoking. **Safety Precautions:** 

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse First Aid Measures:

skin with water/shower. In case of fire: Use water spray, foam, dry chemical or carbon

dioxide to extinguish.

Storage: Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international Disposal:

regulation for hazardous wastes.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS#	PERCENT	Classification	Note





# FULLERTRADE CONSTRUCTION

840332PM

### SAFETY DATA SHEET

Aliphatic petroleum distillate	64742-49-0	10 - 30	Asp. Tox. 1; H304	Note P
			Flam. Liq. 1; H224	
Calcium carbonate	471-34-1	10 - 30		* (see below)
Kaolin clay	1332-58-7	10 - 30		* (see below)
				(**************************************
Aromatic petroleum distillate	64742-95-6	1 - 5	Asp. Tox. 1; H304	Note P
			Flam. Liq. 1; H224	
Crystalline silica	14808-60-7	0.1 - 1	Carc. 1A; H350	* (see below)
			STOT RE 1; H372	
Ingredients determined to be not hazardous		67		

<sup>\*</sup>This material is only hazardous when present as an airborne dust. As supplied, and during normal use, the material is encapsulated within the product and will not present an exposure risk.

# **SECTION 4: FIRST AID MEASURES**

IF IN EYES: Use an eye wash to remove a chemical from your eye regardless of the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing.

IF ON SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

IF INHALED: Remove to fresh air. Call a physician if symptoms persist.

IF SWALLOWED: Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS.

### **SECTION 5: FIRE FIGHTING MEASURES**

**EXTINGUISHING MEDIA:** Use water spray, foam, dry chemical or carbon dioxide.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Material will burn in a fire.

Vapours are heavier than air and can travel to a source of

ignition and flash back.

SPECIAL FIRE FIGHTING INSTRUCTIONS: Persons exposed to products of combustion should wear self-

contained breathing apparatus and full protective equipment.

Carbon dioxide, Carbon monoxide HAZARDOUS COMBUSTION PRODUCTS:

### SECTION 6: ACCIDENTAL RELEASE MEASURES

SPECIAL PROTECTION: No adverse health effects expected from the clean-up of spilled material.

> Follow personal protective equipment recommendations found in Section 8 of this SDS. Evaporation of volatile substances can lead to the

displacement of air creating an environment that can cause

asphyxiation.

METHODS FOR CLEAN-UP: Dike if necessary, contain spill with inert absorbent and transfer to

containers for disposal. Keep spilled product out of sewers, watersheds,

or water systems.

Shut off ignition sources; including electrical equipment and flames. Do

not allow smoking in the area.

# **SECTION 7: HANDLING AND STORAGE**

No special handling instructions due to toxicity. Handling:

Storage: Store in a cool, dry, ventilated location. Keep away from heat, sparks, flame and





# **FULLERTRADE CONSTRUCTION**

840332PM



other sources of ignition. Keep container closed. This product is a Class 3 flammable liquid and must be stored according to the provisions of AS/NZ 1940.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS Chemical Name	Note	AUSTRALIAN EXPOSURE LIMITS	ACGIH EXPOSURE LIMITS
Calcium carbonate	* (see below)	10 mg/m3 TWA (containing no asbestos and <1% crystalline silica, inhalable dust) None	No data available.
Kaolin clay	* (see below)	10 mg/m3 TWA (containing no asbestos and <1% crystalline silica, inhalable dust) None	2 mg/m3 TWA (particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter)
Crystalline silica	* (see below)	0.1 mg/m3 TWA (respirable dust) None	0.025 mg/m3 TWA (respirable particulate matter)

<sup>\*</sup>This material is only hazardous when present as an airborne dust. As supplied, and during normal use, the material is encapsulated within the product and will not present an exposure risk.

#### **Biological Limit Values (ACGIH)**

_	1 18 11 11 11 11 11 11 11 11 11 11 11 11		
	Chemical Name	ACGIH Biological Exposure Index (BEI)	
	No data available.		

### **ENGINEERING CONTROL METHODS:**

**VENTILATION:** General room ventilation might be required under normal conditions

of use.

**EYE PROTECTION:** Wear safety glasses when handling this product.

Not normally required. Wear chemically resistant gloves to prevent SKIN PROTECTION:

prolonged or repeated contact.

**GLOVES:** Not normally required. Use nitrile gloves if conditions warrant. RESPIRATORY PROTECTION: No respiratory protection required under normal conditions of use.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE: Semi-solid COLOR: Brown ODOR: Characteristic ODOR THRESHOLD: Not established Not established FREEZING/MELTING POINT (deg. C): Not established BOILING POINT (deg. C): Not established -4°C; 25°F FLASH POINT: **EVAPORATION RATE:** Not established

Not a flammable solid or gas FLAMMABILITY:

UPPER EXPLOSIVE LIMIT (% in air): Not established LOWER EXPLOSIVE LIMIT (% in air): Not established VAPOR PRESSURE (mm Hg): Not established VAPOR DENSITY: Not established

WEIGHT PER GALLON (lbs.): 9.60 SPECIFIC GRAVITY: 1.150





# FULLERTRADE CONSTRUCTION

840332PM

### SAFETY DATA SHEET

SOLUBILITY: Not established OCTANOL/WATER COEFFICIENT: Not established **AUTOIGNITION TEMPERATURE:** Not established **DECOMPOSITION TEMPERATURE:** Not established VISCOSITY: No data available.

### **SECTION 10: STABILITY AND REACTIVITY**

STABILITY: Stable under normal conditions.

CHEMICAL INCOMPATIBILITY: Not established HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide

### SECTION 11: TOXICOLOGICAL INFORMATION

**Component Toxicity / Toxicology Data:** 

COMPONENT NAME	- St	LD50/LC50
No data available.		

# This product is a mixture. Unless noted, the information below is based on components.

Skin corrosion / irritation: No irritation hazard in normal industrial use. Serious eye damage / irritation: No irritation hazard in normal industrial use.

Respiratory / skin sensitization: No data available.

Germ cell mutagenicity: No data available.

Carcinogenicity: Contains a material that may cause cancer. (This product contains crystalline silica, which is an IARC Category 1 carcinogen. As provided, and during normal use of this product, the crystalline silica is encapsulated within the product. As such, it is considered to be inextricably bound, and not readily available for exposure.)

Reproductive toxicity: No data available.

Specific target organ toxicity-single exposure: No data available. Respiratory irritation / Narcotic effects: No data available. Specific target organ toxicity-single exposure: No data available.

Target organs potentially affected by exposure: Lungs

Aspiration hazard: Not an aspiration hazard.

Medical Conditions Aggravated by Exposure: Lung disease

# **SECTION 12: ECOLOGICAL INFORMATION**

**OVERVIEW:** No ecological information available for this product.

No data available. MOBILITY: PERSISTENCE: No data available. BIOACCUMULATION: No data available.

### This product has not been tested for ecological effects. Relevant information for components is listed below:

<b>Component:</b>	Ecotoxicity values:
Aromatic petroleum distillate	Acute Toxicity (Fish): 96 Hr LC50 Oncorhynchus mykiss: 9.22 mg/L
_	Acute Toxicity (Daphnia): 48 Hr EC50 Daphnia magna: 6.14 mg/L





# FULLERTRADE CONSTRUCTION

840332PM

### SAFETY DATA SHEET

Acute Toxicity (Algae): Not established

#### SECTION 13: DISPOSAL CONSIDERATIONS

This product is a prescribed waste and may only be disposed of in accordance with applicable State and local regulations. These regulations vary from jurisdiction to jurisdiction and hence the user is counselled to seek advice from the local authority and classify the waste before considering disposal. The disposal information given below is a general guide and does not replace the requirement of the local regulations.

DISPOSAL: If possible recycle, otherwise dispose strictly in accordance with local industrial waste or environmental protection regulations. This substance may, if permitted by local authorities, be disposed of in an approved incineration facility or be considered for landfill.

SPECIAL PRECAUTIONS: Do not allow this material to contaminate soil, sewerage systems or surface or ground water.

When large amounts of this product need to be disposed of the services of a registered, professional waste disposal organisation is highly recommended.

#### **SECTION 14: TRANSPORT INFORMATION**

Consult Bill of Lading for transportation information.

ADG: UN1133, ADHESIVES, 3, III IATA: UN1133, ADHESIVES, 3, III

HazChem Code: •3Y

### **SECTION 15: REGULATORY INFORMATION**

**INVENTORY STATUS** 

**AUSTRALIA AICS:** All ingredients in this mixture are listed in the Australian Inventory of

Chemical Substances.

U.S. EPA TSCA: The product contains a substance that is not listed on the TSCA

inventory.

CANADIAN CEPA DSL: This product contains one or more components which have not been

> determined to be on the DSL. If you are the importer of this product into Canada, contact H.B. Fuller for chemical tracking and notification

**EUROPEAN REACH:** As a result of the introduction of REACH into Europe, this product

cannot be imported into Europe unless the REACH requirements are

If you need more information about the inventory status of this product call 1+651-236-5858.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP):

Exempt

# **SECTION 16: OTHER INFORMATION**

SDS Date of Issue: 18-05-2017





# FULLERTRADE CONSTRUCTION 840332PM

### SAFETY DATA SHEET

17-10-2016 Replaces:

Changes made to previous issue: Conversion to GHS format

### **ACRONYMS and DEFINITIONS:**

American Conference of Governmental Industrial Hygienists **ACGIH** 

ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail

**AICS** Australian Inventory of Chemical Substances

BEI Biological Exposure Index

Chemical Abstracts Service Registry Number CAS Number

**CNS** Central nervous system DG **Dangerous Goods** 

Hazchem Code An emergency action code of numbers and letters, which gives information to emergency services.

**IARC** International Agency for Research on Cancer IATA Code International Air Transport Association Code IMDG Code International Maritime Dangerous Goods Code

Not otherwise specified N.O.S.

**NOHSC** National Health and Safety Commission

PPE Personal protection equipment

Standard for the Uniform Scheduling of Medicines and Poisons **SUSMP** 

United Nations Number **UN Number** 

Prepared by: The Global Regulatory DepartmentPhone: 1-651-236-5842

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to H.B. Fuller Company Australia Pty. Ltd. from its suppliers, and because H.B. Fuller Company Australia Pty. Ltd. has no control over the conditions of handling and use, H.B. Fuller Company Australia Pty. Ltd. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and H.B. Fuller Company Australia Pty. Ltd. assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company Australia Pty. Ltd. products to comply with all applicable federal, state and local laws and regulations.

